




FOREST FSS® *Forest Skylight System*

A skylight system is a window decoration solution ideal for glass roofs, atriums and conservatories.




THE WORLD
BEHIND
YOUR
CURTAINS



PRODUCT INFORMATIE

- The Forest Skylight System offers an elegant window dressing solution for glass roofs, atriums and conservatories.
- A clever combination of different Forest systems.
- Easy assembling and smooth operation guaranteed.
- Possible to operate with one motor or a tandem application.
- Both 220V FMS motor or 24V Shuttle motor applicable.
- Maximum size 7 meter long and 3,2 meter wide (without middle support).
- Bendable; it can be curved with a 20 cm radius or continuously curved.
- The fabric can be made to cover wall to wall.
- For horizontal and vertical installation.
- Four types of systems are applicable: Heavy Duty and Light version, depending on the size of the system. Both versions have the option to create complete black-out.




FOR USE IN

Private and/or project market, or wherever a high-quality, efficient elegant skylight system is desired.

PROFILE


FMS TRACK

- Weight: 290 gram per meter
- Aluminium Extrusion
- Size: 20 x 20 mm



MTS TRACK

- Weight: 500 gram per meter
- Aluminium Extrusion
- Size: 19,6 x 30 mm
























FSS ALUMINIUM TUBE

- Weight: 290 gram per meter
- Aluminium Extrusion
- Size: 15 mm Ø



- ① FSS Drive Shaft Connector
- ② FSS Bearing Drive Shaft
- ③ FSS Aluminium Tube 15 mm
- ④ FSS Motor Cover Profile
- ⑤ FSS Cover Profile Return
- ⑥ Velcro
- ⑦ FSS Master Carrier Right
- ⑧ FSS Master Carrier Left
- ⑨ FSS Klick Carrier plus holder for Heavy Duty
- ⑩ FSS Master Carrier Fixer
- ⑪ FSS Rod 8 mm
- ⑫ FSS Track
- ⑬ FMS Track



FSS	ARTICLE	PACKING UNIT	ART.NR
●	 FSS DRIVE SHAFT CONNECTOR To connect both endpulley of the FMS track with eachother.	10/box	7103011000
●	 FSS BEARING DRIVE SHAFT Placed on the Aluminium Tube for right stability in the return profile for the right stability.	10/box	7103012000
●	 FSS ALUMINIUM TUBE 15MM To connect both end pulleys.	10/bundle	Length 6 mtr 7118305000
●	 FSS MOTOR COVER PROFILE To cover the motor. The fabric can be connected with velcro on the profile.	2/bundle	Length 6 mtr 7101501600
●	 FSS COVER PROFILE RETURN To cover the endpulley and the drive shaft rod rod. The fabric can be connected on the velcro.	2/bundle	Length 6 mtr 7101501610
●	 VELCRO To be used on both profiles to attach the fabric. Height: 25mm / Length: 1.20 mtr.	1/box	3416500004
●	 FSS METAL BRACKET Strong bracket to fit the Forest Skylight System to the wall or ceiling.	100/box	white matt black 7160001000 7160006000
●	 FOREST SHUTTLE MOTOR ' M ' RECEIVER FOR FSS The motor is especially modified for the FSS system.	1/box	White Grey Black 7131000000 7131003000 7131006000
●	 FOREST ADAPTOR Universal adaptor (Dimensions: 11 x 5 x 3 cm) Plugs available in versions:	1/box	White White - EUR White - UK 5201002000 5201001101 5201001131
●	 FOREST SHUTTLE TANDEM CABLE 5 meter cable applicable when a tandem motor is used.	1/box	Length 5 mtr 7113000000
●	 FSS MASTER CARRIER RIGHT Will go through a curve. The carrier ensures a maximum overlap.	25/box	7114301000
●	 FSS MASTER CARRIER LEFT Will go through a curve. The carrier ensures a maximum overlap.	25/box	7114401000
●	 MASTER CARRIER FIXER To fix the carrier on the under- and overlap.	25/box	7116401000
●	 FSS KLIKK CARRIER PLUS HOLDER FOR HEAVY DUTY Can be used in combination with the FSS Track.	25/box	7140000000
●	 FSS KLIKK CARRIER PLUS HOLDER FOR TUBE Can be used in combination with the 15mm Aluminium Tube.	25/box	7110001000
●	 FSS ROD 8MM The aluminium rod goes through the fabric. Aluminium Fibreglas	10/bundle 20/bundle	Length 6 mtr Length 6 mtr 7135301600 7135401600
●	 FSS TRACK To be used as a traverse frame support in combination with the 8mm rod.	5/bundle	Length 5,80 mtr Length 7 mtr 7101001580 7101001700
●	 FSS TOOLSET Inclusive template and drill.	1/set	7150000001
●	 FSS KLIKK CARRIER PLUS HOLDER AND 8MM ROD CLIP To be used in combination with the 15mm and 8mm rod to create a complete black-out.	25/box	7130000000
●	 FSS ROD CLIP For connecting the traverse rods with eachother.	25/box	7130000001

For more information about the FMS track components, curtain motors and controls see our Forest Shuttle Series brochure.