



**DOMOTICS**  
READY



**APP**  
CONTROL



**WIRELESS**  
REMOTE



**CORDED**  
OPERATION



**MANUAL**  
OPERATION

## FOREST DECORATIVE ROD Series

Elegant and trendy rod systems. Available as manual, chain and motorised system.

CRS®  
CRS® Deco  
CRS® Corded  
MRS® Motorised

THE WORLD  
BEHIND  
YOUR  
CURTAINS



# FOREST CURTAIN ROD SYSTEM - CRS®





## PRODUCT INFORMATION

- Elegant and trendy hand drawn channel rod system
- Curtain rod fitted with curtain carriers
- Available in two dimensions: 20 mm (0,8") and 28 mm (1,1")
- Bendable, both with an inside and outside corner (except for Chrome)
- Available in 10 colours: White-pc, Anthracite-pc, Chrome, Inox-an, Stone Grey-pc, Gold-an, Bronze-an, Taupe-pc, Antique-pc and Black-pc
- The brackets and endcaps are available in matching colours
- Wide range of decorative finials offering great variety of design options
- Possibility to use without a finial for inside frame fix
- Length: 5,80 m (19")
- Rod quality: high-grade aluminium, powder coated or anodised
- Easy and quick assembly
- Forest Easyfold System (FES) for wave pleat also applicable on CRS

## PROFILE


- Shown actual size 1:1
- Aluminium Extrusion
- Weight 20 mm (0,8"): 320 gram per meter
- Weight 28 mm (1,1"): 460 gram per meter
- Dimensions: 20 mm (0,8") and 28 mm (1,1")



- 1 CRS channel rod 20 mm (0,8")
- 2 CRS channel rod 28 mm (1,1")
- 3 CRS end cap
- 4 CRS carrier
- 5 KS shirrtape carrier
- 6 CRS wall bracket double



## APPLICATIONS



## BENDING / CURVING


The 20 mm (0,8") rod can be bent and reverse bent using a radius of 10 cm (4"); the 28 mm (1,1") rod can be bent and reverse bent by using a radius of 20 cm (8").



## FOR USE IN


Domestic and / or project market, or at any location where a high quality, elegant and manually operated channel rod system is requested.

## MOUNTING BRACKETS




### CRS Wall Bracket, single

8 cm (3,1") Ø 20 (0,8") or 28 mm (1,1").  
12 cm (4,7") Ø 20 (0,8") or 28 mm (1,1").  
16 cm (6,3") Ø 20 (0,8")  
or 28 mm (1,1").




### CRS Wall Bracket, double

16 cm (6,3") Ø 20 mm (0,8")  
16 cm (6,3") Ø 28 mm (1,1")  
20 cm (7,87") Ø 28 mm (1,1")



### CRS Wall Bracket, double

16 cm (6,3") Ø 20/28 mm (0,8/1,1")




### CRS Adjustable Wall Bracket

8 cm (3,1") Ø 20 (0,8") or 28 mm (1,1"), adjustable to 9,5 cm (3,7"). A = 8,9 (3,5") / B = 8 (3,1") < > 9,5 (3,7") / D = 3,75 (1,5") / E = 5,95 cm (2,3")

12 cm (4,7") Ø 20 (0,8") or 28 mm (1,1"), adjustable to 13,5 cm (5,3"). A = 12,9 (5,1") / B = 12 (4,7") < > 13,5 (5,3") / D = 3,75 (1,5") / E = 5,95 cm (2,3")

16 cm (6,3") Ø 20 (0,8") or 28 mm (1,1"), adjustable to 21 cm (8,3"). A = 18,9 (7,4") / B = 7,5 (3,0") < > 10,5 (4,1") / C = 9 (3,5") < > 10,5 (4,1") / D = 3,75 (1,5") / E = 5,95 cm (2,3")





# FOREST CRS® Deco





## PRODUCT INFORMATION

- Elegant and decorative hand drawn channel rod system
- Curtain rod fitted with eyelets and rings
- Equipped with special inlay for smooth operation and noise reduction
- Available in two dimensions: 20 mm (0,8") and 28 mm (1,1")
- Available in 5 colours: Anthracite-pc, Chrome, Inox-an, Taupe-pc, Antique-pc
- The brackets and decorative endcaps are available in matching colours
- Wide range of decorative finials offering great variety of design options
- Possibility to use without a finial for inside frame fix
- Length: 5,80 m (19")
- Rod quality: high-grade aluminium, powder coated or anodised
- Easy and quick assembly
- The CRS Deco cannot be bent

## PROFILE

- Shown actual size 1:1
- Aluminium Extrusion
- Track Ø 20 mm (0,8"): Maximum 3 kilograms at a support distance of 1.5 meters.
- Track Ø 28 mm (1,1"): Up to 4 kilograms at a support distance of 2.5 meters.
- Dimensions: 20 mm (0,8") and 28 mm (1,1")



- 1 CRS Deco 20 mm (0,8")
- 2 CRS Deco 28 mm (1,1")
- 3 CRS end cap with 3 grooves
- 4 CRS wall bracket double
- 5 Eyelets with rings
- 6 Deco rod comes with a special inlay on top.



## APPLICATIONS



## SMOOTH AND SILENT OPERATION



Equipped with special inlay on top of rod for smooth operation and noise reduction.

## FOR USE IN

Domestic and / or project market, or at any location where a high quality, elegant and manually operated channel rod system is requested.

## SELECT YOUR FINIAL


Our large range of decorative finials offers you a great variety of design options. But is also possible to use without finial.



## MOUNTING BRACKETS


### CRS Ceiling Suspension Bracket

4 cm (1,6"), 5 cm (2") or 10 cm (4").  
20 mm (0,8") / 28 mm (1,1").




### CRS Wall Bracket, single

8 cm (3,1") Ø 20 (0,8") or 28 mm (1,1").  
12 cm (4,7") Ø 20 (0,8") or 28 mm (1,1").  
16 cm (6,3") Ø 20 (0,8") or 28 mm (1,1").




### CRS Wall Bracket, double

16 cm (6,3") Ø 20 mm (0,8")  
16 cm (6,3") Ø 28 mm (1,1")  
20 cm (7,87") Ø 28 mm (1,1")



### CRS Wall Bracket, double

16 cm (6,3") Ø 20/28 mm (0,8/1,1")




### CRS Adjustable Wall Bracket

8 cm (3,1") Ø 20 (0,8") or 28 mm (1,1"), adjustable to 9,5 cm (3,7"). A = 8,9 (3,5") / B = 8 (3,1") < > 9,5 (3,7") / D = 3,75 (1,5") / E = 5,95 cm (2,3")

12 cm (4,7") Ø 20 (0,8") or 28 mm (1,1"), adjustable to 13,5 cm (5,3"). A = 12,9 (5,1") / B = 12 (4,7") < > 13,5 (5,3") / D = 3,75 (1,5") / E = 5,95 cm (2,3")

16 cm (6,3") Ø 20 (0,8") or 28 mm (1,1"), adjustable to 21 cm (8,3"). A = 18,9 (7,4") / B = 7,5 (3,0") < > 10,5 (4,1") / C = 9 (3,5") < > 10,5 (4,1") / D = 3,75 (1,5") / E = 5,95 cm (2,3")



# FOREST CRS® Coded





## PRODUCT INFORMATION

- Elegant and trendy cord-operated channel rod system
- Curtain rod fitted with curtain carriers
- Available dimension: 28 mm (1,1")
- Bendable, both with an inside and outside corner (except for Chrome)
- Available in colours: White-pc, Inox-an, Stone Grey-pc, Antique-pc, Anthracite-pc, Taupe-pc, Chrome & Gold-an
- The brackets and endcaps are available in matching colours
- Wide range of decorative finials offering great variety of design options
- Length: 5,80 m (19")
- Rod quality: high-grade aluminium, powder coated or anodised
- Easy and quick assembly
- Forest Easyfold System (FES) for wave pleat also applicable on CRS Coded
- Dual cord available

## PROFILE


- Shown actual size 1:1
- Weight per meter: 8 kg and max weight load: 50 kg
- Aluminium extrusion
- Dimension: 28 mm (1,1")



- 1 CRS coded End pulley short
- 2 CRS channel rod
- 3 Traverse cord
- 4 MRS carriers
- 5 Easyflex master carrier 90° left
- 6 Easyflex master carrier 90° right
- 7 CRS coded end pulley base
- 8 CCS Double Cord connector
- 9 CRS Ceiling bracket with hole




## APPLICATIONS



Cross-Section Channel Rod with cord connectors and carriers.

## BENDING / CURVING

The 28 mm (1,1") rod can be curved and reverse curved by using a radius of 20 cm (8").




## FOR USE IN

Domestic and / or contract market, or at any location where a high quality, elegant and corded operated channel rod system is required.

## MOUNTING BRACKETS

### CRS Ceiling Bracket




### CRS Ceiling Support

4 cm (1,6"), 5 cm (2") or 10 cm (4").  
20 mm (0,8")/ 28 mm (1,1").

### CRS Wall Bracket, single


8 cm (3,1"), 12 cm (4,7") and 16 cm (6,3")

(Base plate for the 12 cm (4,7") and 16 cm bracket is 6,2 cm (2,4"), similar to the double wall brackets.)




### CRS Wall Bracket, double

16 cm (6,3") Ø 20 mm (0,8")  
16 cm (6,3") Ø 28 mm (1,1")  
20 cm (7,87") Ø 28 mm (1,1")



### CRS Wall Bracket, double

16 cm (6,3") Ø 20 mm (0,8") (manual) /  
28 mm (1,1") (corded)




### CRS Adjustable Wall Bracket

8 cm (3,1") Ø 20 (0,8") or 28 mm (1,1"), adjustable to 9,5 cm (3,7"). A = 8,9 (3,5") / B = 8 (3,1") < 9,5 (3,7") / D = 3,75 (1,5") / E = 5,95 cm (2,3")

12 cm (4,7") Ø 20 (0,8") or 28 mm (1,1"), adjustable to 13,5 cm (5,3"). A = 12,9 (5,1") / B = 12 (4,7") < 13,5 (5,3") / D = 3,75 (1,5") / E = 5,95 cm (2,3")

16 cm (6,3") Ø 20 (0,8") or 28 mm (1,1"), adjustable to 21 cm (8,3"). A = 18,9 (7,4") / B = 7,5 (3,0") < 10,5 (4,1") / C = 9 (3,5") < 10,5 (4,1") / D = 3,75 (1,5") / E = 5,95 cm (2,3")





# FOREST MOTORISED ROD SYSTEM - MRS®




## PRODUCT INFORMATION

- Comfortable and luxurious motorised channel rod system
- Curtain rod fitted with curtain carriers
- Two types of motors available:
  - 24 Volt Forest Shuttle with touch impulse
  - 230 Volt FMS with 30, 45 or 60 Watt
- Available dimension: 28 mm (1,1")
- Available in 8 colours: White-pc, Anthracite-pc, Chrome\*, Inox-an, Stone Grey-pc, Gold-an, Taupe-pc, Antique-pc
- The brackets and endcaps are available in matching colours
- Wide range of decorative finials offering great variety of design options
- Length: 5,80 m (19")
- Rod quality: high-grade aluminium, powder coated or anodised
- Easy-running return pulley
- Smooth and silent operation through Kevlar reinforcement of the transport belt
- Long life-span
- Improved motor pulley: creates a perfectly even pleat across the motor
- Improved return pulley: allows the curtain to travel all way to the end
- Both new motor pulley and return pulley can be reversibly installed, left or right
- Overlap carriers guarantees a complete closing of the curtains
- Forest Wave System for wave pleat also applicable on MRS
- Unique warranty: 10 year
- The MRS cannot be bent



3




6



7

- 1 MRS channel rod
- 2 MRS end cap
- 3 MRS motor pulley equipped with high-quality ball bearings
- 4 Square Easy wave carrier
- 5 Wave adjustable master carrier
- 6 Kevlar transport belt
- 7 Easy running return pulley



**RENEWED!**


*\*Only available with 1<sup>st</sup> generation poulies.*





## PROFILE

- Shown actual size 1:1
- Weight 480 gr/mtr
- Aluminium Extrusion
- Dimension: 28 mm (1,1")



## APPLICATIONS




## FOR USE IN

Domestic and / or contract market, or at any location where a high quality, elegant and motorised operated channel rod system is required.

## MOUNTING BRACKETS

**MRS Ceiling Bracket Note:** The pulley should be mounted 1.5 cm away from the wall to ensure there is enough space for the motor attachment.



### CRS/MRS Ceiling Suspension Bracket

4 cm (1,6"), 5\* cm (2") or 10 cm (4")

20 mm (0,8") / 28 mm (1,1").

\*= not available in every colour

Check the product overview for colour options


### CRS/MRS Wall Bracket, single

12 cm (4,7")


Ø 28 mm (1,1").

16 cm (6,3")

Ø 28 mm (1,1").




### CRS/MRS Wall Bracket, double with 4 cm wall bracket extension 16 cm (6,3") Ø 28 mm (1,1")



### CRS/MRS Wall Bracket, double

20 cm (7,87") Ø 28 mm (1,1")




### CRS Adjustable Wall Bracket

8 cm (3,1") Ø 20 (0,8") or 28 mm (1,1"), adjustable to 9,5 cm (3,7"). A = 8,9 (3,5") / B = 8 (3,1") < > 9,5 (3,7") / D = 3,75 (1,5") / E = 5,95 cm (2,3")

12 cm (4,7") Ø 20 (0,8") or 28 mm (1,1"), adjustable to 13,5 cm (5,3"). A = 12,9 (5,1") / B = 12 (4,7") < > 13,5 (5,3") / D = 3,75 (1,5") / E = 5,95 cm (2,3")

16 cm (6,3") Ø 20 (0,8") or 28 mm (1,1"), adjustable to 21 cm (8,3"). A = 18,9 (7,4") / B = 7,5 (3,0") < > 10,5 (4,1") / C = 9 (3,5") < > 10,5 (4,1") / D = 3,75 (1,5") / E = 5,95 cm (2,3")



# FOREST MOTORISED ROD SYSTEM - MRS®

Our wide range of controls make finding a fit for your home even easier; controlling the curtains by hand, remote or even by building automation system. With the remote you can control the curtains in any position you like. When controlling the motorised curtain system by your smartphone or tablet, you can create and schedule customised room scenes that allow your curtains to operate on their own throughout the day.



## REMOTE CONTROL

We offer two different remote controls and a wall switch. These are available in white and black.

- EasyTouch remote control. Operates up to 6 systems, and unused channels can be deactivated.
- Diamond Sense remote control. A 15- or 2-channel remote with an LED display.
- EasyTouch wall switch. A wireless 2-channel wall switch for fixed wall-mounted operation.



## APP CONTROL VIA FOREST WIFI-DONGLE

With the Shuttle® Wi-Fi dongle, you can control your motorised curtains with your mobile device by the Forest Connect app or even by voice command with the easy integration in for example Google Home or Amazon Echo without the need for an additional hub or gateway.

## APP CONTROL VIA FOREST WIRELESS CONNECTOR

The Forest Wireless Connector provides an easy solution to make Forest motorised curtains 'smart.' When combined with a smart plug, you can effortlessly control the curtains through a mobile app. Controlling the motorised curtains system by your smartphone or tablet, you can create and schedule customized room scenes that allow your curtains to operate on their own throughout the day.



Scan for more info

If you prefer to use the Forest Connect App, you can opt for Forest's smart plug. If you wish to operate your curtains with Apple HomeKit, Amazon Alexa, or Google Assistant, you will need a compatible third-party smart plug that works with these smart home apps. This RF device can also be seamlessly integrated into the most common building management systems, including systems with dry contacts.



## BUILDING AUTOMATION / HOTEL CONTROL

The Forest Shuttle® can be connected to any Building Automation system, by relay control.

## SMART DEVICE CONNECTIVITY



Configure the right motorised curtain track system in a few steps.

|                                                                                                                   | Shuttle S/M/L  | Shuttle S/M/L with Z-Wave | Shuttle iOn | Shuttle AC     | Forest Connect app | Google Home    | Apple HomeKit  | Amazon Alexa   | Google Assistant | Apple Siri     | Voice control |
|-------------------------------------------------------------------------------------------------------------------|----------------|---------------------------|-------------|----------------|--------------------|----------------|----------------|----------------|------------------|----------------|---------------|
| Forest Wireless Connector<br>One way transmitter to control curtains by third party apps or by Domotics. (433Mhz) | ●              |                           | ●           |                | ● <sup>1</sup>     | ● <sup>1</sup> | ● <sup>2</sup> | ● <sup>1</sup> | ● <sup>1</sup>   | ● <sup>1</sup> |               |
| Forest Wi-Fi Dongle in combination with Forest Connect app                                                        | ●              | ●                         |             |                | ●                  | ●              |                | ●              | ●                | ●              |               |
| Smartwares Controller in combination with HomeWizard lite app (433 Mhz)                                           | ●              |                           | ●           |                |                    |                |                | ●              |                  |                |               |
| Homey in combination with Homey app                                                                               | ●              | ●                         | ●           |                |                    | ●              | ●              | ●              | ●                | ●              |               |
| FIBARO System in combination with FIBARO Home Center app                                                          |                | ●                         |             | ● <sup>3</sup> |                    | ●              | ●              | ●              | ●                | ●              |               |
| Samsung SmartThings Hub in combination with Samsung SmartThings app                                               |                | ●                         |             |                |                    | ●              | ●              | ●              | ●                | ●              |               |
| 230 Volt hard-wired building management system                                                                    | ● <sup>4</sup> |                           |             | ●              |                    |                |                |                |                  |                |               |

1) In combination with Forest smart plug

2) In combination with Apple Homekit smart plug

3) Only with FIBARO Roller Shutter 3 / Walli Roller Shutter

4) In combination with an AC Control Set

## FOREST® MRS WORKS WITH











BUSCH-JAEGER

















\* Only works with actor.










MRS® is compatible with many other Building Automation systems, thanks to its modular construction. A competitive advantage over other motorised drapery systems in the world!

| CRS<br>20 mm | CRS<br>28 mm | CRS<br>DECO 20 | CRS<br>DECO 28 | CRS<br>CORDED | MRS | ARTICLE                                                                                                                                                                                                           | PACKING UNIT  |                                                                                                                               | ART.NR                                                                                                                                                     |
|--------------|--------------|----------------|----------------|---------------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ●            |              |                |                |               |     |  CRS CHANNEL ROD Ø 20 MM (0,8'')<br>Extruded aluminium, powder coated                                                            | 5.80 mtr/tube | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>taupe-pc<br>bronze-an<br>black-pc<br>antique-pc<br>anthracite-pc<br>chrome | 5801201580-PC<br>5801202580<br>5801203580<br>5801203580-SG<br>5801204580-PC<br>5801204580<br>5801206580-PC<br>5801209580-PC<br>5801205580-PC<br>5801207580 |
|              | ●            |                |                |               |     |  CRS CHANNEL ROD Ø 28 MM (1.1'')<br>Extruded aluminium, powder coated                                                            | 5.80 mtr/tube | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>bronze-an<br>black-pc<br>antique-pc<br>anthracite-pc<br>taupe-pc<br>chrome | 5801281580-PC<br>5801282580<br>5801283580<br>5801283580-SG<br>5801284580<br>5801286580-PC<br>5801289580-PC<br>5801285580-PC<br>5801284580-PC<br>5801287580 |
|              |              | ●              |                |               |     |  CRS DECO ROD Ø 20 MM (0.8'')<br>Extruded aluminium, powder coated                                                               | 5.80 mtr/tube | inox-an<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                                                                  | 5841203580<br>5841209580-PC<br>5841204580-PC<br>5841205580-PC<br>5841207580                                                                                |
|              |              |                | ●              |               |     |  CRS DECO ROD Ø28 MM (1.1'')<br>Extruded aluminium, powder coated<br>incl. inlay strip                                           | 5.80 mtr/tube | inox-an<br>inox-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                                                       | 5841283580<br>5841283580-PC<br>5841289580-PC<br>5841284580-PC<br>5841285580-PC<br>5841287580                                                               |
|              |              |                |                | ●             |     |  CRS CHANNEL ROD CORDED Ø 28 MM (1.1'')<br>Extruded aluminium, powder coated<br>incl. inlay strip                               | 5.80 mtr/tube | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                          | 5811281580-PC<br>5811282580<br>5811283580<br>5811283580-SG<br>5811289580-PC<br>5811284580-PC<br>5811286580-PC<br>5701287520                                |
|              |              |                |                |               | ●   |  MRS MOTORISED ROD Ø28 MM (1.1'')<br>Extruded aluminium, powder coated                                                         | 5.80 mtr/tube | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                          | 5701281580-PC<br>5701282580<br>5701283580<br>5701283580-SG<br>5701289580-PC<br>5701284580-PC<br>5701286580-PC<br>5701287520                                |
| ●            | ●            |                |                | ●             |     |  CRS CARRIER ROUND                                                                                                             | 500/box       | white<br>grey<br>black                                                                                                        | 5810101000<br>5810103000<br>5810106000                                                                                                                     |
|              |              |                |                |               | ●   |  MRS CARRIER ROUND                                                                                                             | 500/box       | white<br>grey<br>black                                                                                                        | 5710101000<br>5710103000<br>5710106000                                                                                                                     |
|              | ●            |                |                |               |     |  CS BALL BEARING (SMALL)<br>carrier 16 mm for 28 mm CRS manual                                                                 | 100/box       | white<br>black                                                                                                                | 2512000016<br>2512006016                                                                                                                                   |
|              | ●            |                |                |               |     |  CONTRACT ROLLER CARRIER<br>For a silent and smoothly operation with heavier curtains. Designed for use with butterfly pleats. | 100/box       | white<br>black                                                                                                                | 4831001000<br>4831006000                                                                                                                                   |
|              |              | ●              |                |               |     |  CRS DECO CURTAIN RING FOR 20 MM                                                                                               | 50/box        | inox-an<br>taupe-pc<br>anthracite-pc<br>chrome<br>antique-pc                                                                  | 5841203000<br>5841204000-PC<br>5841205000-PC<br>5841207000<br>5841209000-PC                                                                                |
|              |              |                | ●              |               |     |  CRS DECO CURTAIN RING FOR 28 MM                                                                                               | 50/box        | inox-an<br>taupe-pc<br>anthracite-pc<br>chrome<br>antique-pc                                                                  | 5841283000<br>5841284000-PC<br>5841285000-PC<br>5841287000<br>5841289000-PC                                                                                |
| ●            |              |                |                | ●             |     |  CRS METAL ENDSTOP WITH SCREW<br>for 20 mm (0,8'')                                                                             | 2/box         |                                                                                                                               | 5816101000                                                                                                                                                 |
|              | ●            |                |                | ●             |     |  CRS METAL ENDSTOP WITH SCREW<br>for 28 mm (1.1'')                                                                             | 100/box       |                                                                                                                               | 5816101001                                                                                                                                                 |
| ●            |              |                |                |               |     |  CRS METAL ENDSTOP WITH SCREW-EYE<br>for 20 mm (0,8'')                                                                         | 100/box       |                                                                                                                               | 5816102000                                                                                                                                                 |
|              | ●            |                |                |               |     |  CRS METAL ENDSTOP WITH SCREW-EYE<br>for 28 mm (1.1'') long                                                                    | 100/box       |                                                                                                                               | 5816102001                                                                                                                                                 |
| ●            |              |                |                |               |     |  CRS METAL ENDSTOP WITH SCREW-EYE<br>for 20 mm (1.1'') long                                                                    | 100/box       |                                                                                                                               | 5816101000                                                                                                                                                 |















| CRS<br>20 mm | CRS<br>28 mm | CRS<br>DECO 20 | CRS<br>DECO 28 | CRS<br>CORDED | MRS | ARTICLE                                                                                                                                   | PACKING UNIT                                                                                                               | ART.NR                                                                                                                                       |
|--------------|--------------|----------------|----------------|---------------|-----|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| ●            | ●            |                |                |               | ●   |  END STOP UNIVERSAL METAL                                | 100/box<br>white matt<br>grey<br>black matt                                                                                | 8880001000<br>8880003000<br>8880006000                                                                                                       |
| ●            | ●            |                |                | ●             |     |  CRS RAIL CONNECTOR (6 CM)                               | 25/box                                                                                                                     | 5815200006                                                                                                                                   |
|              |              | ●              | ●              |               | ●   |  CRS DECO / MRS / FMS PLUS<br>TRACK CONNECTOR (20/28 MM) | 25/box                                                                                                                     | 5815200005                                                                                                                                   |
| ●            | ●            | ●              | ●              | ●             |     |  CRS CORNER CONNECTOR (5 CM)                             | 10/box                                                                                                                     | 5815200007                                                                                                                                   |
| ●            |              | ●              |                |               |     |  CRS FINIAL SHORT ENDCAP Ø 20 MM                         | 10/box<br>white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>taupe-pc<br>anthracite-pc<br>black-pc<br>chrome<br>antique-pc | 5816101220-PC<br>5816102220<br>5816103220<br>5816103220-SG<br>5816104220-PC<br>5816105220-PC<br>5816106220-PC<br>5816107220<br>5816109220-PC |
|              | ●            |                | ●              |               |     |  CRS FINIAL SHORT ENDCAP Ø 28 MM                         | 10/box<br>white-pc<br>inox-an<br>stone grey-pc<br>taupe-pc<br>anthracite-pc<br>black-pc<br>antique-pc                      | 5816101228-PC<br>5816103228<br>5816103228-SG<br>5816104228-PC<br>5816105228-PC<br>5816106228-PC<br>5816109228-PC                             |
| ●            |              | ●              |                |               |     |  CRS FINIAL Ø 20 MM                                     | 10/box<br>white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>black-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5816101020-PC<br>5816102020<br>5816103020<br>5816103020-SG<br>5816106020-PC<br>5816109020-PC<br>5816104020-PC<br>5816105020-PC<br>5816107020 |
|              | ●            |                | ●              | ●             | ●   |  CRS FINIAL Ø 28 MM                                    | 10/box<br>white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>black-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5816101028-PC<br>5816102028<br>5816103028<br>5816103028-SG<br>5816106028-PC<br>5816109028-PC<br>5816104028-PC<br>5816105028-PC<br>5816107028 |
|              | ●            |                | ●              |               | ●   |  CRS/MRS FINIAL ROUND 60 MM<br>28 mm                   | 2/box<br>white-pc<br>gold-an<br>inox-an<br>black-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                   | 5716101100-PC<br>5716102100<br>5716103100<br>5716106100-PC<br>5716109100-PC<br>5716104100-PC<br>5716105100-PC<br>5716107100                  |
|              | ●            |                | ●              |               | ●   |  CRS/MRS FINIAL ROUND 70 MM<br>28 mm                   | 2/box<br>gold-an<br>inox-an<br>inox-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                                | 5716102000<br>5716103000<br>5716103000-PC<br>5716109000-PC<br>5716104000-PC<br>5716105000-PC<br>5716107000                                   |
|              | ●            |                | ●              |               | ●   |  CRS FINIAL WITH 3 GROOVES<br>20 mm                    | 2/box<br>inox-an<br>anthracite-pc<br>chrome                                                                                | 5816103120<br>5816105120-PC<br>5816107220                                                                                                    |
| ●            |              | ●              |                |               |     |  CRS/MRS FINIAL WITH 3 GROOVES<br>28 mm                | 2/box<br>white-pc<br>gold-an<br>inox-an<br>black-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                   | 5816101128-PC<br>5816102128<br>5816103128<br>5816106128-PC<br>5816109128-PC<br>5816104128-PC<br>5816105128-PC<br>5816107128                  |
|              |              |                |                | ●             |     |  CRS CORDED END PULLEY<br>complete                     | 2/box<br>white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc                        | 6130201001-PC<br>6130202001<br>6130203001<br>6130203001-SG<br>6130209001-PC<br>6130204001-PC<br>6130206001-PC                                |
|              |              |                |                | ●             |     |  CRS CORDED CENTRE PULLEY<br>complete                  | 2/box<br>white-pc<br>inox-an<br>antique-pc<br>taupe-pc<br>anthracite-pc                                                    | 6130251001-PC<br>6130253001<br>6130259001-PC<br>6130254001-PC<br>6130256001-PC                                                               |

| CRS<br>20 mm | CRS<br>28 mm | CRS<br>DECO 20 | CRS<br>DECO 28 | CRS<br>CORDED | MRS | ARTICLE                                                                                                                                                                | PACKING UNIT |                                                                                                                  | ART.NR                                                                                                                                       |
|--------------|--------------|----------------|----------------|---------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
|              | ●            |                |                | ●             | ●   |  CRS CEILING BRACKET LONG Ø 28 MM                                                     | 100/box      | white-pc<br>grey-pc<br>stone grey-pc<br>anthracite-pc<br>black-pc<br>antique-pc                                  | 5818003101-LA<br>5818003103-LA<br>5818003103-SG<br>5818009103-LA<br>5818006103-LA<br>5818009104-LA                                           |
| ●            | ●            |                |                | ●             | ●   |  CRS CEILING BRACKET 1,5 CM                                                           | 4/box        | white-pc<br>inox-an<br>stone grey-pc<br>taupe-pc<br>antique-pc<br>antique-pc                                     | 5818212028-PC<br>5818232028<br>5818232028-SG<br>5818242028-PC<br>5818252028-PC<br>5818292028-PC                                              |
| ●            | ●            | ●              | ●              | ●             | ●   |  CRS CEILING SUSPENSION BRACKET 4 CM (1.57") Ø 20/28 mm  | 4/box        | white-pc<br>gold-an<br>inox-an<br>taupe-pc<br>black-pc<br>antique-pc<br>anthracite-pc<br>chrome                  | 5818112000-PC<br>5818122000<br>5818132000<br>5818142000-PC<br>5818162000-PC<br>5818192000-PC<br>5818152000-PC<br>5818172000                  |
| ●            | ●            | ●              | ●              | ●             | ●   |  CRS CEILING SUSPENSION BRACKET 5 CM (1.96") Ø 20/28 mm  | 2/box        | white-pc<br>gold-an<br>inox-an<br>inox-pc<br>antique-pc                                                          | 5818112028-PC<br>5818122028<br>5818132028<br>5818132028-PC<br>5818192028-PC                                                                  |
| ●            | ●            | ●              | ●              | ●             | ●   |  CRS CEILING SUSPENSION BRACKET 10 CM (3.93") Ø 20/28 mm | 2/box        | white-pc<br>gold-an<br>inox-an<br>black-pc<br>antique-pc<br>anthracite-pc                                        | 5818012028<br>5818022028<br>5818032028<br>5818062028-PC<br>5818092028-PC<br>5818052028-PC                                                    |
| ●            |              | ●              |                |               |     |  CRS WALL BRACKET SINGLE 8 CM (3.15") Ø 20 mm                 | 2/box        | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>black-pc<br>antique-pc<br>anthracite-pc<br>chrome             | 5820080120-PC<br>5820080220<br>5820080320<br>5820080320-SG<br>5820080620-PC<br>5820080920-PC<br>5820080520-PC<br>5820080720                  |
|              | ●            |                | ●              | ●             |     |  CRS WALL BRACKET SINGLE 8 CM (3.15") Ø 28 mm                | 2/box        | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>black-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5820080128-PC<br>5820080228<br>5820080328<br>5820080328-SG<br>5820080628-PC<br>5820080928-PC<br>5820080428-PC<br>5820080528-PC<br>5820080728 |
| ●            |              | ●              |                |               |     |  CRS WALL BRACKET SINGLE 12 CM (4.72") Ø 20 mm               | 2/box        | white-pc<br>gold-an<br>inox-an<br>black-pc<br>antique-pc<br>anthracite-pc<br>chrome                              | 5820120120-PC<br>5820120220<br>5820120320<br>5820120620-PC<br>5820120920-PC<br>5820120520-PC<br>5820120720                                   |
|              | ●            |                | ●              | ●             | ●   |  CRS WALL BRACKET SINGLE 12 CM (4.72") Ø 28 mm               | 2/box        | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>black-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5820120128-PC<br>5820120228<br>5820120328<br>5820120328-SG<br>5820120628-PC<br>5820120928-PC<br>5820120428-PC<br>5820120528-PC<br>5820120728 |
| ●            |              | ●              |                |               |     |  CRS WALL BRACKET SINGLE 16 CM (6.29") Ø 20 mm               | 2/box        | white-pc<br>gold-an<br>inox-an<br>black-pc<br>antique-pc                                                         | 5820160120-PC<br>5820160220<br>5820160320<br>5820160620-PC<br>5820160920-PC                                                                  |
|              | ●            |                | ●              | ●             | ●   |  CRS WALL BRACKET SINGLE 16 CM (6.29") Ø 28 mm               | 2/box        | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>black-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc           | 5820160128-PC<br>5820160228<br>5820160328<br>5820160328-SG<br>5820160628-PC<br>5820160928-PC<br>5820160428-PC<br>5820160528-PC               |
| ●            |              | ●              |                |               |     |  CRS WALL BRACKET DOUBLE 16 CM (6.29") Ø 20 mm               | 2/box        | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>black-pc<br>antique-pc<br>chrome                              | 5822160120-PC<br>5822160220<br>5822160320<br>5822160320-SG<br>5822160620-PC<br>5822160920-PC<br>5822160720                                   |

| CRS<br>20 mm | CRS<br>28 mm | CRS<br>DECO 20 | CRS<br>DECO 28 | CRS<br>CORDED | MRS | ARTICLE                                                                                                                                                            | PACKING UNIT |                                                                                                                  | ART.NR                                                                                                                                       |
|--------------|--------------|----------------|----------------|---------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
|              | ●            |                | ●              | ●             | ●   |  CRS WALL BRACKET DOUBLE 16 CM<br>(6.29") Ø 28 mm          | 2/box        | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>black-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc           | 5822160128-PC<br>5822160228<br>5822160328<br>5822160328-SG<br>5822160628-PC<br>5822160928-PC<br>5822160428-PC<br>5822160528-PC               |
|              | ●            |                | ●              |               | ●   |  CRS WALL BRACKET DOUBLE 20 CM<br>(7.87") Ø 28 mm          | 2/box        | white-pc<br>gold-an<br>inox-an<br>black-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                  | 5822200128-PC<br>5822200228<br>5822200328<br>5822200628-PC<br>5822200928-PC<br>5822200428-PC<br>5822200528-PC<br>5822200728                  |
| ●            | ●            |                | ●              |               |     |  CRS WALL BRACKET DOUBLE 16 CM<br>(6.29") Ø 20/28 mm | 2/box        | white-pc<br>gold-an<br>inox-an<br>black-pc<br>antique-pc                                                         | 5822012028-PC<br>5822022028<br>5822032028<br>5822036028-PC<br>5822039028-PC                                                                  |
| ●            | ●            | ●              | ●              | ●             | ●   |  CRS WALL BRACKET EXTENSION 4 CM                                                  | 10/box       | white-pc<br>inox-an<br>black-pc<br>taupe-pc<br>antique-pc<br>anthracite-pc                                       | 5815201030-PC<br>5815203030<br>5815206030-PC<br>5815204030-PC<br>5815209030-PC<br>5815205030-PC                                              |
| ●            | ●            | ●              | ●              | ●             | ●   |  CRS ADJUSTABLE WALL BRACKET<br>EXTENSION<br>Adjustable 2-4 cm                    | 10/box       | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>taupe-pc<br>anthracite-pc<br>black-pc<br>antique-pc           | 5815101070-PC<br>5815102070<br>5815103070<br>5815103070-SG<br>5815104070-PC<br>5815105070-PC<br>5815106070-PC<br>5815109070-PC               |
| ●            |              | ●              |                |               |     |  CRS INSIDE WALL BRACKET Ø 20 MM                                                | 10/box       | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>black-pc<br>antique-pc                                        | 5817101020-PC<br>5817102020<br>5817103020<br>5817103020-SG<br>5817106020-PC<br>5817109020-PC                                                 |
|              | ●            |                | ●              |               | ●   |  CRS INSIDE WALL BRACKET Ø 28 MM                                                | 10/box       | white-pc<br>gold-an<br>inox-an<br>stone grey-pc<br>black-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5817101028-PC<br>5817102028<br>5817103028<br>5817103028-SG<br>5817106028-PC<br>5817109028-PC<br>5817104028-PC<br>5817105028-PC<br>5817107028 |
|              |              |                |                |               | ●   |  MRS MOTOR PULLEY UNIVERSAL<br><b>RENEWED!</b>                                  | 1/box        | white-pc<br>gold-an<br>stone grey-pc<br>inox-an<br>antique-pc<br>taupe-pc<br>anthracite-pc                       | 5740101000-PC<br>5740102000-AN<br>5740103000-PC<br>5740108000-AN<br>5740109000-PC<br>5740104000-PC<br>5740105000-PC                          |
|              |              |                |                |               | ●   |  MRS MOTOR PULLEY UNIVERSAL CAP SET<br><b>RENEWED!</b>                          | 1/box        | white<br>grey<br>black                                                                                           | 5740101010<br>5740103010<br>5740106010                                                                                                       |
|              |              |                |                |               | ●   |  MRS MOTOR PULLEY UNIVERSAL FINIAL<br><b>RENEWED!</b>                           | 1/box        | white-pc<br>gold-an<br>stone grey-pc<br>inox-an<br>antique-pc<br>taupe-pc<br>anthracite-pc                       | 5740111000-PC<br>5740112000-AN<br>5740113000-PC<br>5740118000-AN<br>5740119000-PC<br>5740114000-PC<br>5740115000-PC                          |
|              |              |                |                |               | ●   |  MRS MOTOR PULLEY LEFT                                                          | 1/box        | chrome                                                                                                           | 5730107000                                                                                                                                   |
|              |              |                |                |               | ●   |  MRS MOTOR PULLEY RIGHT                                                         | 1/box        | chrome                                                                                                           | 5730207000                                                                                                                                   |



| CRS<br>20 mm | CRS<br>28 mm | CRS<br>DECO 20 | CRS<br>DECO 28 | CRS<br>CORDED | MRS | ARTICLE                                                                                                                                                                                                                                                                                                                                                        | PACKING<br>UNIT                                                                              |                                                                                                                                                                                                                              | ART.NR                                                                                                                                                                                                                          |
|--------------|--------------|----------------|----------------|---------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|              |              |                |                |               |     |  MRS RETURN PULLEY UNIVERSAL<br><b>RENEWED!</b>                                                                                                                                                                                                                               | 1/box                                                                                        | white-pc<br>gold-an<br>stone grey-pc<br>inox-an<br>antique-pc<br>taupe-pc<br>anthracite-pc                                                                                                                                   | 5740121000-PC<br>5740122000-AN<br>5740123000-PC<br>5740128000-AN<br>5740129000-PC<br>5740124000-PC<br>5740125000-PC                                                                                                             |
|              |              |                |                |               |     |  MRS RETURN PULLEY LEFT                                                                                                                                                                                                                                                       | 1/box                                                                                        | chrome                                                                                                                                                                                                                       | 5730117000                                                                                                                                                                                                                      |
|              |              |                |                |               |     |  MRS RETURN PULLEY RIGHT                                                                                                                                                                                                                                                      | 1/box                                                                                        | chrome                                                                                                                                                                                                                       | 5730127000                                                                                                                                                                                                                      |
|              |              |                |                |               |     |  TRAVERSE CORD Polyester drapery cord designed for strong smooth slide, Ø 3.5 mm (0,14"), 16 ply. Suitable for CKS/CCS/CRS/DS-XL Corded                                                                                                                                       | 250 mtr/roll                                                                                 | white<br>grey<br>black                                                                                                                                                                                                       | 1030401000<br>1030403000<br>1030406000                                                                                                                                                                                          |
|              |              |                |                |               |     |  CCS DOUBLE CORD CONNECTOR                                                                                                                                                                                                                                                    | 20/box                                                                                       | white<br>grey<br>black                                                                                                                                                                                                       | 3030301010<br>3030303010<br>3030306010                                                                                                                                                                                          |
|              |              |                |                |               |     |  ASSEMBLY TOOL FOR CKS/CCS/CRS CORD CONNECTOR                                                                                                                                                                                                                                 | Piece                                                                                        |                                                                                                                                                                                                                              | 9510000027                                                                                                                                                                                                                      |
|              |              |                |                |               |     |  CORD/CHAIN WEIGHT DESIGN                                                                                                                                                                                                                                                     | 10/box                                                                                       | white<br>black<br>grey                                                                                                                                                                                                       | 3030701000<br>3030706000<br>3030703000                                                                                                                                                                                          |
|              |              |                |                |               |     |  CKS / CCS TENSION PULLEY                                                                                                                                                                                                                                                     | 25/box                                                                                       |                                                                                                                                                                                                                              | 1030501000                                                                                                                                                                                                                      |
|              |              |                |                |               |     |  BS CORD / CHAIN WALL MOUNT SAFETY BOX SINGLE                                                                                                                                                                                                                                | 25/box                                                                                       |                                                                                                                                                                                                                              | 3645702000                                                                                                                                                                                                                      |
|              |              |                |                |               |     |  FMS TRANSPORT BELT                                                                                                                                                                                                                                                         | 100 Mtr/roll                                                                                 |                                                                                                                                                                                                                              | 5105501000                                                                                                                                                                                                                      |
|              |              |                |                |               |     |  EASYFOLD MRS BELT CONNECTOR                                                                                                                                                                                                                                                |  25/box |                                                                                                                                                                                                                              | 4805711500                                                                                                                                                                                                                      |
|              |              |                |                |               |     |  EASYFOLD PLASTIC MASTER UNDERLAP                                                                                                                                                                                                                                           |  25/box | white<br>grey<br>black<br>transparent                                                                                                                                                                                        | 4815201010<br>4815203010<br>4815206010<br>4815201000                                                                                                                                                                            |
|              |              |                |                |               |     |  EASYFOLD PLASTIC MASTER STRAIGHT/OVERLAP                                                                                                                                                                                                                                   |  25/box | white<br>grey<br>black<br>transparent                                                                                                                                                                                        | 4815101010<br>4815103010<br>4815106010<br>4815101000                                                                                                                                                                            |
|              |              |                |                |               |     |  CRS ADJUSTABLE WALL BRACKET 8CM INCL. COVER<br><br> 12CM INCL. COVER<br><br> 16CM DOUBLE INCL. COVER | 2/box                                                                                        | white-pc<br>stone grey-pc<br>taupe-pc<br>anthracite-pc<br>antique-pc<br><br>white-pc<br>stone grey-pc<br>taupe-pc<br>anthracite-pc<br>antique-pc<br><br>white-pc<br>stone grey-pc<br>taupe-pc<br>anthracite-pc<br>antique-pc | 5830001080<br>5830003080-SG<br>5830004080<br>5830005080<br>5830009080<br><br>5830001120<br>5830003120-SG<br>5830004120<br>5830005120<br>5830009120<br><br>5830001160<br>5830003160-SG<br>5830004160<br>5830005160<br>5830009160 |
|              |              |                |                |               |     |  WAVE ADJUSTABLE MASTER CARRIER<br>For use with wave pleat curtains (Easyflex)                                                                                                                                                                                              |  25/box | white<br>black                                                                                                                                                                                                               | 4813001050<br>4813006050                                                                                                                                                                                                        |
|              |              |                |                |               |     |  WAVE ADJUSTABLE ENDSTOP<br>For use with wave pleat curtains (FES). Height adjustable and blocks detachable for the correct wave pleat depth                                                                                                                                |  25/box | white<br>black                                                                                                                                                                                                               | 4816001001<br>4816006001                                                                                                                                                                                                        |
|              |              |                |                |               |     |  WAVE ADJUSTABLE HOOK FOR MOTOR<br>For use with wave pleat curtains (Easyflex) (only suitable for MRS motor pulley left & right)                                                                                                                                            |  25/box | white<br>black                                                                                                                                                                                                               | 4813001010<br>4813006010                                                                                                                                                                                                        |

GO TO THE FES BROCHURE FOR OTHER FES (WAVE) ITEMS, SUCH AS CARRIERS, TAPE, AND HOOKS.



