



MANUAL
OPERATION



HOTEL
TRACK

FOREST CS[®] *Contract System*

Heavy duty hand drawn system for medium and heavy draperies.

THE WORLD *BEHIND*
your **CURTAINS...**






PRODUCT INFORMATION

- Heavy duty hand drawn system for medium and heavy draperies.
- Bendable; it can be curved and reversed curved using a 20 cm (8") radius or continuous curve.
- Heavy duty clickable carriers - 10 carriers on a breakaway strip - UV protected. Can also be used with ball bearing carriers.
- Ideal for use with overlap masters and batons which can be mounted behind or in front of draperies.
- Can also be used for the Forest Easyfold System and accordiafold drapery systems.
- Maximum fabric weight: 15 kg. per mtr (11,25 LBS per ft).
- Colours available: white, black, silver and brown.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Available lengths: 3.66 m (12'), 4.27 m (14'), 4.88 m (16'), 6.10 m (20').
- Limited lifetime warranty.


- ① CS Track
- ② Carrier
- ③ Master Carrier R/L Overlap
- ④ Master Carrier R/L Underlap
- ⑤ Carrier
- ⑥ Endcap with screw






PROFILE

- Weight: 235 gram p. mtr (2.53 ounce - ft).
- Aluminium Extrusion
- Dimensions: 20 mm x 20 mm (0,8" x 0,8")




FOR USE IN

Hotels - Motels - offices - schools - healthcare residential or at any location where a heavy duty hand drawn system is required.




Easy installation
click - position - tighten




clickable carrier

BENDING / CURVING


The track can be curved and reversed curved using a 20 cm (8") radius. Continuous curving is also possible with the electrical bending tool.



APPLICATIONS






CLICK-ON STIFFNER



MOUNTING BRACKETS

Smart Klick Ceiling bracket




Other brackets are available. Brackets need to be placed every 60 cm (24").

Aluminium Wall bracket single

A) 7,5 cm (3'') B) 6,3 cm (2,5'')


A) 10 cm (4'') B) 8,8 cm (3,5'')



Aluminium Wall bracket double


A) 15 cm (6'') B) 9,2 cm (3,6'') C) 4,5 cm (1,8'')

A) 20 cm (8'') B) 9,2 cm (3,6'') C) 9,5 cm (3,7'')




















Aluminium Wall bracket triple










A) 25 cm (10'')




Brackets need to be placed every 50 - 60 cm (24''), depending on fabric weight.

CS	ARTICLE	PACKING UNIT	ART.NR
●	 CS TRACK WHITE Extruded aluminium chromated, powder coating, factory lubricated.	10/bundle	3,66 meter (12') 2501001366 4,27 meter (14') 2501001427 4,88 meter (16') 2501001488 6,10 meter (20') 2501001610
	CS TRACK SILVER Extruded aluminium chromated, powder coating, factory lubricated	10/bundle	3,66 meter (12') 2501003366 4,27 meter (14') 2501003427 4,88 meter (16') 2501003488 6,10 meter (20') 2501003610
	CS TRACK BROWN Extruded aluminium chromated, powder coating, factory lubricated.	10/bundle	4,88 meter (16') 2501005488 6,10 meter (20') 2501005610
	CS TRACK BLACK Extruded aluminium chromated, powder coating, factory lubricated.	10/bundle	6,10 meter (20') 2501006610
●	 CS/CCS/FMS TRACK CONNECTOR Used to make a solid connection between two pieces of track.	10/box	white 2518401000 silver 2518403000 brown 2518405000 black 2518406000
●	 CS ENDCAP UNIVERSAL LONG WITH SCREW	100/box	white 2516400000 silver 2516403000 brown 2516405000 black 2516406000
●	 CS ENDCAP UNIVERSAL SHORT WITH SCREW	100/box	white 2516400001 silver 2516403001 brown 2516405001 black 2516406001
●	 CS / CCS AS CARRIER "Clickable", offset, constructed of UV-resistant plastic. 10 Carriers on a break-away strip. Can be clicked in after	250/box	white 2510101000 silver 2510103000 brown 2510105000 black 2510106000
●	 CS STOPCARRIER Clickable.	100/box	white 2510201000 silver 2510203000
●	 CS / CCS CARRIER AS WITH HOOK Clickable.	100/box	white 2510501000 silver 2510503000
●	 CS ECONOMY SLIDE Can turn in the track.	500/box 500/box	white 2510601000 black 2510606000
●	 CS BALL BEARING CARRIER 20MM CS BALL BEARING CARRIER 20MM	100/box	white 2512000000 black 2512006000
	CS BALL BEARING CARRIER 16MM SMALL CS BALL BEARING CARRIER 16MM SMALL		white 2512000016 black 2512006016
	CS BALL BEARING CARRIER 25MM LARGE		2512100000
●	 CS UNDERLAP CARRIER R/L	25/box	white 2514600000
●	 CS OVERLAP CARRIER R/L	25/box	white 2514700000

CS		ARTICLE	PACKING UNIT		ART.NR
●		CS MASTER CARRIER BASE R/L WHITE	25/box	white	481450000
●		PROLONGED OVERLAP ARM 150MM R/L FOR CLICK-ON STIFFNER	15/box		9500001010
●		STIFFNER "CLICK-ON"	15/box		5116001001
●		Z-ARM UNIVERSAL 175MM R/L	15/box	white	9500001030
●		FMS EASYFLEX CURVED ARM R/L WHITE	15/box	Pc.	5135901020
●		SUSPENSION BRACKET CLIP FOR MTS CEILING SUPPORT	50/box	Pc.	1016901000
●		KS SMART KLICK CEILING BRACKET INCL COVER CAP "Klicks" onto track, powder coated.	100/box	white silver brown black	1018201001 1018203001 1018205001 1018206001
●		SUSPENDED CEILING BRACKET, METAL For installation on to a suspended ceiling. The track can be fixed in any angle.	25/box		4519001000
●		KS SMART KLICK CEILING BRACKET DOUBLE LONG Distance between two tracks: 90 mm (3,5") KS SMART KLICK CEILING BRACKET DOUBLE SHORT	30/box	white	1018601000 1018611000
●		MTS SUSPENSION Ceiling Bracket Length: 10 cm (4") - 1 m (3,3') 1 m (3,3') - 1,5 m (4,9')	1/each		4518201000 4518201500
●		KS ADJUSTABLE WALL BRACKET, SINGLE	100/box	white silver	1020801115 1020803115
●		KS ADJUSTABLE WALL BRACKET, DOUBLE	50/box	white silver	1020801195 1020803195

CS	ARTICLE	PACKING UNIT	ART.NR
●	 KS SMART KLICK ALUMINIUM WALL BRACKET 7,5 cm	20/box	white silver brown black
	 KS SMART KLICK ALUMINIUM WALL BRACKET 10 cm	20/box	white silver black
	 KS SMART KLICK ALUMINIUM WALL BRACKET 15 cm	15/box	white silver brown black
	 KS SMART KLICK ALUMINIUM WALL BRACKET 20 cm	15/box	white silver black
	 KS SMART KLICK ALUMINIUM WALL BRACKET 25 cm	10/box	white silver black
●	 COVER CAP FOR KS SMART KLICK ALUMINIUM WALL BRACKET	50/box	white silver black
●	KS FLICKSTICK FIBERGLASS	50/box	92 cm 122 cm
	KS FLICKSTICK TRANSPARENT	50/box	152 cm 92 cm
	KS FLICKSTICK WHITE ALUMINIUM	50/box	122 cm 152 cm
	KS FLICKSTICK SILVER ALUMINIUM	50/box	92 cm 122 cm 202 cm
	KS FLICKSTICK BLACK ALUMINIUM	50/box	92 cm 122 cm 152 cm
	KS FLICKSTICK ANTIQUE ALUMINIUM	50/box	92 cm 122 cm 152 cm
●	 VELCRO HOTEL PROFILE Inside frame fix, to reduce light leakage in combination with Looptape	120 mtr/bundle	3581601600
		25 mtr/roll	3816202020
●	 CONTRACT BENDING TOOL BASIC (without bending wheel)	1/each	2560000000
		CS/CCS/FMS BENDING WHEEL	1/each
●	 CS BENDING STRIPS For CS track, length: 90 cm (35,4")	1/set	8500000001
		FOR CS ELECTRIC POWERED BENDER. Length 7 meter (23').	1/set
●	 BENDING STAND Stand for contract bending tool	1/each	2560800000
●	 ELECTRIC POWERED BENDER Available in 230V or 115V To create continuous curves and arches minimum radius 50 cm (20")	1/each	1060500000

CS		ARTICLE	PACKING UNIT	ART.NR
●		KS/CKS BENDING WHEELS For Electric Powered Bender. Complete set of 3 wheels.	1/set	1060700000
●		ELECTRIC POWERED RAILCUTTER 230 Volt EU	1/each	1061100000
		REPLACEMENT BLADE For electric powered railcutter.		1061200000
●		FOREST LUBRICANT To lubricate components during assembly.	1/each	5109010000